



NORMA float-valve technical data sheet

Sommario

DESCRIPTION	3
TECHNICAL NOTES	3
COMPATIBILITY	3
FLOAT-VALVE ADJUSTMENT	4
MODELS:	5

Norma float-valve for concealed cisterns

DESCRIPTION

NORMA float-valve is made of limescale-resistant materials and is compatible with all Kariba concealed cisterns.

Each float-valve is manufactured and tested in the factory and must meet Kariba's highest quality standards.


TECHNICAL NOTES

- Made of limescale-resistant material
- Loading capacity 4.5/6 - 6/9 litres
- Fast filling of 0.12 litres/sec with 3/8" or 1/2" nozzle supply


COMPATIBILITY

Compatible with all Kariba 6E and Kariba 9.0 concealed cisterns.

FLOAT-VALVE ADJUSTMENT



6 o 9 lt



4,5 o 6 lt

1. Release the threaded rod (A) from its seat
2. Move the graduated lever (B) from position 1 to position 5.
3. Reinsert the threaded rod into its seat

S



MODELS:

PHOTO	CODE	DESCRIPTION
	300388	Norma float-valve 3/8" for concealed cisterns
	300082	Plunger kit with pad seal and cap
	300083	Nozzle kit with o-ring